



Electro-Optics Technology, Inc.


Innovative High Quality
Laser Solutions

TORNOS Broadband

Optical Isolators

520 nm to 885 nm

NEW!



EOT's TORNOS Broadband optical isolators are designed for use across a broad spectral range where optical feedback can adversely affect laser performance. The TORNOS Broadband provides passive broadband isolation across the entire spectral range of the isolator.

The three models of the TORNOS Broadband cover from 520 nm to 885 nm. The Broadband features ports for access to the rejected beam and a standard mounting clamp making this product ideal for laboratory and R&D use. The broadband technology is optimized for isolation and allows for completely passive use across any wavelength in the spectral range of the device. This product maintains industry-leading transmission at the center wavelength (>94%).

Some common applications for the TORNOS Broadband are Ti:Sapphire laser systems, R&D and laboratory use where multiple wavelengths are of interest, and OEM systems that use the rejected beam such as regenerative amplifiers.

FEATURES

- Passive broadband performance
- All isolators contain rejected beam escape ports
- Mounting clamp
- 0° to 90° polarization

OPTIONS

- Optional waveplate for manipulation of polarization
- Customization available

APPLICATIONS

- R&D and Laboratory use
- Ti:Sapphire Lasers
- Regenerative Amplifiers
- Multiple wavelength interrogation



Electro-Optics Technology, Inc.

Innovative High Quality Laser Solutions


SPECIFICATIONS

Center Wavelength	Spectral Range	Isolation ^a	Transmission at Center Wavelength ^a
532 nm	520 nm to 595 nm	>32 dB	>94%
650 nm	595 nm to 730 nm	>32 dB	>94%
785 nm	730 nm to 885 nm	>32 dB	>94%

Product specifications are subject to change. All products are RoHS compliant.

^a At specified wavelength and temperature

Note: Spectral bandwidth is dependent upon wavelength. Contact EOT for more information.



Electro-Optics Technology, Inc. | 3340 Parkland Ct. Traverse City, MI 49686 USA
eotech.com | sales@eotech.com | 231.935.4044



Photonic Solutions Ltd Unit 2.2, Quantum Court, Research Avenue South, HWU Research Park, Edinburgh, EH14 4AP, UK, Tel: +44 (0)131 664 8122
Email sales@photronicsolutions.co.uk Web www.photronicsolutions.co.uk